

Rheological, physical, and sensory evaluation of finger millet-based instant idli premixes: Optimizing rice substitution for enhanced nutrition and consumer acceptability

Ganesh S. Kahar¹, A.A. Sawant¹, Rinkesh Gosavi¹, S.B. Kalse¹, Vikram P. Kad², Ganesh N. Shelke², Salma Saddeek³, Rokayya Sami^{4*}, Nashi K. Alqahtani⁵, Ameerah Almaski⁶, Manal Almughamisi⁶, Abeer G. Almasoudi⁷, Mahmoud Helal⁸, Mohamed K. Morsy⁹

¹Department of Processing and Food Engineering, CAET, Dr. BSKKV, Maharashtra, India; ²Department of Agricultural Processing Engineering, Dr. Annasaheb Shinde College of Agricultural Engineering and Technology, Rahuri, Ahmednagar, Maharashtra; ³Department of Chemistry, Faculty of Sciences, University of Hafr Al Batin, Hafr Al Batin, Saudi Arabia; ⁴Department of Food Science and Nutrition, College of Sciences, Taif University, Taif, Saudi Arabia; ⁵Department of Food and Nutrition Sciences, College of Agricultural and Food Sciences, King Faisal University, Al-Ahsa, Saudi Arabia; ⁶Department of Clinical Nutrition, Taibah University, Medina, Saudi Arabia; ⁷Program of Food Sciences and Nutrition, Biology Department, Branch of the College at Turbah, Taif University, Taif, Saudi Arabia; ⁸Department of Mechanical Engineering, Faculty of Engineering, Taif University, Taif, Saudi Arabia; ⁹Department of Food Technology, Faculty of Agriculture, Benha University, Qaluobia, Egypt

*Corresponding Author: Rokayya Sami, Department of Food Science and Nutrition, College of Sciences, Taif University, Taif, Saudi Arabi. Email: rokayya.d@tu.edu.sa

Academic Editor: Prof. Fabrizio Cincotta – University of Messina, Italy

Cite as: Kahar GS et al., Rheological, physical, and sensory evaluation of finger millet-based instant idli premixes: Optimizing rice substitution for enhanced nutrition and consumer acceptability, Italian Journal of Food Science, <https://doi.org/10.15586/ijfs.v38i1.3347>

© 2026 Codon Publications

OPEN ACCESS



PAPER

Abstract

The attractiveness and convenience of pre-prepared foods led the food industry to reformulate traditional, time-consuming foods into modern, ready-to-cook options. This study aimed to assess the rheological, physical, and sensory properties of instant idli premixes formulated with finger millet (30–70%) as a partial or full substitute for rice. Rheological assessments revealed that the incorporation of finger millet significantly improved water absorption (up to 65.5%) and accelerated starch gelatinization, with the onset temperature at 71.0°C for the 60% millet blend. Optimal dough stability (17.6–18.3 min) and extensibility (1638 mm) were observed at 50% millet inclusion, contributing to a soft, well-aerated texture. In contrast, higher substitution levels (70%) impaired structural integrity and increased dough resistance, indicating reduced viscoelastic performance. Physical analysis demonstrated consistent batter viscosity (~2500 cP) across formulations, while color metrics (ΔE^* : 14.9–17.5) showed only minor shifts. Sensory evaluation confirmed high consumer acceptability of idlis containing 50–60% finger millet, as assessed in terms of softness, flavor, and appearance. These results highlight the potential of finger millet as a valuable, gluten-free ingredient for improving the nutritional profile of idlis without sacrificing their texture or flavor.

Keywords: idli; finger millet; free gluten; rheological properties; sensory attributes

Introduction

Idli, a widely consumed fermented steamed rice cake prepared from ground rice and urad dal (hulled black gram), is a staple breakfast in Indian cuisine and of neighboring regions, with a soft texture, sour flavor, and balanced nutritional profile (Karunanithi *et al.*, 2024). As demand for convenient, ready-to-cook foods grows, instant idli premixes have become a popular alternative to the traditional fermentation method, saving preparation time while retaining the authentic taste and texture (Panigrahi *et al.*, 2025). Instant premixes are fortified with various grains, including sorghum, pearl millet, finger millet, and amaranth, to enhance their nutritional quality (Patil *et al.*, 2024; Rani *et al.*, 2019; Sharma *et al.*, 2024).

Finger millet (*Eleusine coracana*), a micronutrient and fiber-dense grain, has gained attention as a functional food ingredient. It is rich in calcium (344 mg/100 g), iron (3.9 mg/100 g), phenolic compounds, and dietary fiber (15–20%), which can support bone health, digestion, and glycemic control (Nagaraja *et al.*, 2024). Additionally, its low glycemic index (~55) and gluten-free nature suit individuals managing diabetes, celiac disease, and metabolic disorders (Siroha and Bangar, 2024). However, finger millet's unique composition (high amylose [~25%] and complex protein matrix) can alter starch pasting and dough behavior, thus impacting the rheological properties of the idli batter (Bhasin *et al.*, 2024). Poor rheological properties can lead to dense textures, uneven porosity, or structural instability (Zhao *et al.*, 2025).

Though more studies concentrated on ingredient substitution for idli premixes, there is scant systematic analysis of the rheological behavior of the same. Siddique *et al.* (2024) have noted that high fiber content of millets reduces dough cohesiveness, necessitating the use of hydrocolloids for textural improvement. Further, Dey *et al.* (2024) stated that the existence of starch-protein interactions is complex in gluten-free formulations, which modify viscoelastic properties. Lack of understanding of the modifications in the rheological behavior results in inconsistent product quality, restricting scalability, and commercial feasibility.

This study aims to assess the rheological and pasting properties of finger millet-containing instant idli premixes through a holistic view. In response to the growing demand for functional and fortified foods, this study aimed to develop a finger millet-based instant idli premix with an enhanced nutritional profile by preserving the sensory and textural characteristics of traditional idli.

Materials and Methodology

Materials

Polished rice (*Oryza sativa* L.), decorticated black gram (*Vigna mungo* L.), and finger millet (*Eleusine coracana* L.) were procured from the Regional Agricultural Research Station (RARS), Dapoli, Maharashtra, India.

Experimental treatments

Six formulations (T1–T6) of Instant Idli Premix were prepared by varying the proportions of rice, finger millet, and black gram, all set for standardization to 100 g (Figure 1). T1 had rice (50%), finger millet (30%), and black gram (20%), which is a balanced ratio. T2 and T3 gradually increased the millet content to 40 and 50%, respectively, and reduced the rice content accordingly. T4 and T5 had 60 and 70% millet, respectively. T6 (control) consisted of 70% rice and 30% black gram, replicating a traditional idli mix.

Preparation of idli batter

Finger millet, black gram, and rice were initially hand-picked to remove foreign materials such as stones, broken grains, and plant debris. Subsequently, the grains were passed through mesh sieves 60 (250 μ m) to eliminate fine particulate matter. Light impurities, including husks and dried leaf fragments, were removed using gentle air blowing. All cleaning procedures were conducted under hygienic laboratory conditions to prevent contamination. The cleaned grains were then soaked in potable water for 8 h at room temperature to ensure adequate hydration and to activate endogenous enzymatic reactions. The grains were wet pulverized (Model XYZ-WG20, ABC Instruments Pvt. Ltd., Mumbai, India) to produce a smooth and consistent batter. The batter was mixed and then allowed to ferment at room temperature for 10 h. It was then tray-dried for 6 h at 60°C for stabilization and moisture content reduction. The dried mix was ground into a homogeneous, free-flowing powder using a 150 μ m sieve (0.15 mm particle size; ASTM 100 mesh, Make: Labfine Test Sieves, Mumbai, India) and a laboratory grinder (Model XYZ-150, SreeValsa Engineering Co., Coimbatore, India). The finely ground mixture was chilled after processing and packed in 50-micron food-grade HDPE stand-up pouches.

Functional and rheological analysis

Amylograph

The gelatinization properties of the instant idli mix, including onset temperature (°C), peak gelatinization temperature (°C), and maximum viscosity (AU),




Figure 1. Experimental protocol of idli.

were measured using an amylograph (Amylograph-E, Brabender GmbH and Co. KG, Germany) following the method described by Ronda *et al.* (2017). 80 g of the idli mix was combined with 450 mL of distilled water and heated from 30 to 95°C at 1.5°C/min rate. Viscosity was recorded as a function of temperature. The pasting behavior provided insights into starch swelling and batter consistency.

Farinograph

The farinograph (Farinograph-E, Brabender GmbH and Co. KG, Germany) was used to assess water absorption (%), dough development time (min), dough stability (min), and mixing tolerance index (BU) of the idli mix. 300 g of idli mix (14% moisture basis), following the method described by Della Valle *et al.* (2022), was mixed at 30°C with water to achieve 500 BU consistency. The test provided information on hydration, dough tolerance, and mixing stability.

Extensograph

The extensograph (Extensograph-E, Brabender GmbH and Co. KG, Germany) was used to evaluate dough elasticity and gas retention properties, measuring energy (cm²), resistance to extension (BU), extensibility (mm), and ratio number (R/E). 150 g of dough was proofed for 30, 60, and 90 min and stretched until it

ruptured. The force-extension curve provided insights into dough strength, extensibility, and fermentation behavior following the method described by Ronda *et al.* (2017).

Viscosity measurement

The apparent viscosity of idli batter was measured using a Brookfield DV2T Viscometer (Model: R/S Plus, Make: Brookfield Engineering Laboratories, USA) under controlled conditions. The premix was mixed with water in a 1:2 ratio to ensure uniform consistency. The viscosity was measured at 50 rpm using spindle RV3 at 25 ± 1°C. These parameters were selected based on previous studies analyzing batter flow properties (Della Valle *et al.*, 2022).

Measurement of idli expansion

The physical expansion of idlis was measured using a digital Vernier caliper (Mitutoyo Vernier Caliper, Model: 530-122, Japan) (Joshi *et al.*, 2014). Batter was filled into idli molds, and the initial height and diameter were recorded before steaming. After steaming for 15 min, the idlis were allowed to cool naturally at room temperature

($28 \pm 2^\circ\text{C}$) for 20 min. The final height and diameter were then measured using the following equation:

$$\text{Expansion Ratio} = \frac{\text{Final Height}}{\text{Initial Height}} \quad (\text{Eq. 1})$$

Color measurement

The color characteristics of cooked idli samples were analyzed using a Premier Colourscan Colorimeter (Premier Colourscan; Premier Colorscan Instruments Pvt. Ltd., India) following the method by Susmitha *et al.* (2022). The CIE Lab parameters— L^* (lightness), a^* (red-green), and b^* (yellow-blue)—were recorded. Calibration was performed using a white tile and an open-air black reference. Samples were placed in the instrument's sample holder for measurement. The total color difference (ΔE^*) between the samples and the control was determined using the following equation:

$$\Delta E^* = \sqrt{(\Delta L^*)^2 + (\Delta a^*)^2 + (\Delta b^*)^2} \quad (\text{Eq. 2})$$

Where:

- ΔL^* = Difference in lightness between the idli sample and control.
- Δa^* = Difference in redness between the idli sample and control.
- Δb^* = Difference in yellowness between the idli sample and control.

Proximate and nutritional composition of idli premix

The proximate chemical composition of samples, such as moisture, ash, crude fat, crude protein, and fiber, was determined according to AOAC (2020). The carbohydrate content was calculated by difference.

Sensory evaluation

Sensory evaluation of the steamed idli samples was performed by 30 trained panelists (aged 22–45 years; 18 males and 12 females) using a 9-point hedonic scale, following the standard procedures described by Karnat *et al.* (2024). Samples were coded and presented randomly, and organoleptic attributes, such as color, appearance, texture, flavor, taste, and overall acceptability, were assessed.

Statistical analysis

All experimental data were analyzed using SPSS 25 (IBM SPSS 25 Software, NY, USA), with results expressed as

mean \pm standard deviation (SD). One-way and two-way ANOVA (for extensograph) was performed to assess the effects of formulation and other independent variables on the measured parameters. Significant differences between means were determined using Tukey's HSD test ($P < 0.05$) for multiple comparisons. All measurements were conducted in triplicate ($n = 3$) (McCormick and Salcedo, 2017).

Results and Discussion

Characterization of idli

The physical properties of finger millet, rice, and black gram dal are presented in Table 1. Notable differences were observed among the three samples in terms of size, density, and flow-related characteristics. Finger millet showed the smallest grain dimensions, with a geometric mean diameter of 1.47 mm, while rice and black gram dal measured 3.07 and 3.10 mm, respectively. Bulk density ranged from 710.3 kg/m³ in rice to 814.1 kg/m³ in black gram dal, while true density was highest in black gram dal (1346.1 kg/m³) and lowest in finger millet (1277.1 kg/m³). These density values are important for determining packaging volume and transport efficiency. Rice exhibited the highest porosity (46.53%), indicating more void space between particles compared to finger millet (38.9%) and black gram dal (39.48%). The angle of repose, which reflects the flowability of the grains, was lowest for black gram dal (27.51°), suggesting better flow behavior. In contrast, rice had the highest angle (34.1°), indicating relatively poor flow. These physical parameters are essential for equipment design, especially in mixing, conveying, and storage operations.

Idli, a fermented rice and lentil cake, is valued for its nutritional profile and soft texture. Batter rheology and elasticity, water absorption, starch gelatinization, and viscosity affect the quality of the cooked idlis. Adding millet improves nutrition but impacts texture and structure (Upadhyay and Mehra, 2017). Based on Tables 2 and 3, a 50–60% millet substitution is optimal for balancing hydration, extensibility, and aeration, resulting in well-fermented, soft idlis. The formulation T3 (30% finger millet, 50% rice, 20% black gram) is referred to as optimized because it was selected based on sensory evaluation, texture analysis, and nutritional profiling, which collectively showed superior quality compared to other formulations. The batter pH of T3 was 4.6, ideal for fermentation; titratable acidity was 0.99%, indicating a high level of lactic acid; and TSS ranged from 5.20 to 6.10, with T3 at 5.80, reflecting moderate sugar and acid activity.

The nutritional composition of T3 idlis exhibited higher moisture (59.66 g/100 g) and carbohydrate

Table 1. Physical properties of finger millet, rice, and black gram dal.

Physical property	Finger millet	Rice	Black gram dal
Length (mm)	1.59 ± 0.02 ^c	5.90 ± 0.05 ^b	5.94 ± 0.04 ^a
Width (mm)	1.96 ± 0.03 ^c	2.43 ± 0.04 ^b	4.54 ± 0.06 ^a
Thickness (mm)	0.95 ± 0.01 ^c	2.01 ± 0.03 ^b	4.23 ± 0.05 ^a
Geometric mean diameter (mm)	1.47 ± 0.02 ^c	3.07 ± 0.04 ^b	3.10 ± 0.05 ^a
Bulk density (kg/m ³)	781.1 ± 5.2 ^b	710.3 ± 4.8 ^c	814.1 ± 6.0 ^a
True density (kg/m ³)	1277.1 ± 6.3 ^c	1328.6 ± 7.1 ^b	1346.1 ± 6.8 ^a
Porosity (%)	38.9 ± 1.2 ^c	46.53 ± 1.5 ^a	39.48 ± 1.1 ^b
Angle of repose (°)	29.26 ± 0.6 ^b	34.1 ± 0.7 ^a	27.51 ± 0.5 ^c

Table 2. Effect of premix treatments on pH, titratable acidity, and TSS of idli batter (Mean ± SD).

Parameter	T1	T2	T3	T4	T5	T6 (Control)
pH	4.8 ± 0.01 ^b	4.7 ± 0.01 ^c	4.6 ± 0.01 ^d	4.5 ± 0.01 ^e	4.4 ± 0.01 ^f	5.1 ± 0.01 ^a
Titratable acidity	1.60 ± 0.02 ^a	0.99 ± 0.01 ^b	0.64 ± 0.01 ^c	0.52 ± 0.01 ^{cd}	0.25 ± 0.01 ^e	0.76 ± 0.02 ^{bc}
TSS	6.13 ± 0.05 ^b	5.80 ± 0.04 ^c	5.60 ± 0.03 ^d	5.40 ± 0.02 ^a	5.10 ± 0.03 ^f	6.50 ± 0.06 ^a

All values represent mean ± SD (n = 3). Superscripts within rows indicate statistically significant differences at P < 0.05.

(30.03 g/100 g) contents, but slightly lower protein (10.14 g/100 g), compared to the control sample, which had 58.92 g/100 g moisture, 11.38 g/100 g protein, and 28.62 g/100 g carbohydrate, as shown in Table 4. These differences are attributed to the integration of finger millet (Longvah *et al.*, 2017). The functional properties, such as water absorption capacity (14.5%), rehydration ratio (2.0), and reconstitution time (41 s), were superior in T3, making it more efficient for instant idli development (Jamal *et al.*, 2016). These findings also align with recent studies. Santhoshkumar *et al.* (2024) demonstrated that pearl millet addition in 3D-printed idli formulations improved textural integrity. Similarly, Sircar and Mandal (2023) reported increased probiotic viability and LAB diversity in traditional batters.

Rheological properties of idli batters

Amylograph

The gelatinization onset temperature ranged from 71.0°C in T4 to 76.4°C in T6, exhibiting a decreasing trend with increasing millet. T4 (60% millet) had an onset temperature of 71.0°C, which was the lowest, indicating rapid water absorption and swelling of the granules due to hydration being facilitated by the high fiber content in millet. Similar trends were reported by Mudau *et al.* (2022), who noted onset gelatinization temperatures in spontaneously fermented finger millet flours ranging from 71.3 to 76.1°C, influenced

Table 3. Functional properties of optimized (T3) and control (T6) idli mix samples.

Functional property	T3	T6 (Control)
Water absorption capacity (%)	14.5 ± 0.2 ^a	10.5 ± 0.2 ^b
Wettability (s)	0.0 ± 0.0 ^a	0.5 ± 0.1 ^b
Rehydration ratio	2.0 ± 0.1 ^a	1.9 ± 0.1 ^b
Coefficient of rehydration	1.15 ± 0.05 ^a	0.94 ± 0.05 ^b
Reconstitution time (s)	41 ± 1 ^a	52 ± 1 ^b

All values represent mean ± SD (n = 3). Superscripts within rows indicate statistically significant differences at P < 0.05.

Table 4. Proximate composition of optimized (T3) and control (T6) formulations.

Parameters	T3 (Optimized)	T6 (Control)
Moisture (%)	52.32 ± 0.69 ^b	58.58 ± 0.69 ^a
Protein (%)	16.63 ± 0.69 ^a	7.56 ± 0.69 ^b
Fat (%)	0.47 ± 0.007 ^a	0.35 ± 0.007 ^b
Carbohydrate (%)	25.27 ± 98.61 ^b	31.34 ± 98.61 ^a
Crude Fibre (%)	4.05 ± 0.007 ^a	1.88 ± 0.007 ^b
Ash (%)	1.26 ± 0.007 ^a	0.29 ± 0.007 ^b

All values represent mean ± SD (n = 3). Superscripts within rows indicate statistically significant differences at P < 0.05.

by the extent of fermentation and specific flour treatments. These values are in close agreement with those observed in the present study (71.0°C in T4 to 76.4°C in T6), substantiating the significant role of finger millet in modulating the thermal transition behavior of starch during gelatinization.

Variable gelatinization temperatures ranging from 87.1 to 96.0°C indicated the difference in starch swelling behavior exhibited by the formulations. The highest gelatinization temperature of 96.0°C was seen in the control sample (T6), meaning starch granules required more heat before maximum swelling could occur due to the low fiber content. In contrast, the lowest gelatinization temperature of 87.1°C was registered in T4 (60% millet), which may be attributed to the starch type and structure of millet, such as a comparatively lower amylose content or loosely bound granules, allowing for earlier gelatinization even with higher fiber and protein contents (Kumar *et al.*, 2024). The findings indicate that increasing millet in the formulation lowers the gelatinization temperature, consistent with earlier reports in composite batters, wherein proteins and fibers modified the starch structure to reduce those temperatures. This further cemented the role played by millet in altering the pace of the batter's pasting behavior and making it amenable to quick cooking applications (Figure 2).

Yadav *et al.* (2022) reported the gelatinization temperature of millet-based extruded products to be between 86.5 and 95.8°C, depending on processing conditions and the amount of incorporated millet. These results were closely reflected by the current findings that ranged from 87.1 (T4) to 96.0°C (T6). Such a finding underscores the fact that the inclusion of millet has a considerable effect on starch gelatinization, perhaps by way of augmenting starch hydration and interaction with non-starch constituents such as dietary fiber and proteins, thereby altering thermal behavior during processing.

The gelatinization maximum or peak viscosity stood between 1882 and 2586 AU. Peak viscosity differed significantly across the treatments. T4 (60% millet) recorded the highest peak viscosity of 2586 AU, probably due to greater starch swelling and water holding capacity in millet-based formulations. On the other hand, T1 (30% millet) had the least peak viscosity of 1882 AU, implying inferior water uptake and poor gelatinization when compared to higher millet formulations. The control sample (T6) showed a considerably moderate peak viscosity of 2158 AU, representative of starch with a stable network and balanced gelatinization. It was interpreted that more incorporation of millet enhanced water retention and starch swelling,

producing a thicker and more viscous batter. However, excessive millet content diminished the peak viscosity through possible interference of protein–lipid interactions with starch gelatinization. The results confirmed that millet incorporation strongly affected the rheological and pasting properties of idli batter. Millet lowers the onset and peak temperature of gelatinization to allow for a fast cooking time due to its higher water absorption. Peak viscosity increases with millet content up to 60% (T4), which means that starch swelling and batter consistency are promoted by moderate millet inclusion. These, however, deteriorate when the excessive amount of millet (more than 60%) interferes with the starch structure, and this again ferries a reduction in viscosity and a modification of textural properties. This provides evidence that, based on gelatinization, viscosity, and cooking properties, T4 (60% millet) is the best formulation and the most appropriate formulation for instant idli premix. Previous studies have reported that roller-dried millet flour exhibits the highest degree of starch gelatinization, significantly influencing viscosity and water absorption in batter preparation. Millet-based batters require optimized hydration and fermentation conditions to achieve desirable texture and flow properties. T4 (60% millet) demonstrated the best gelatinization and pasting properties ($P < 0.05$), confirming its higher water absorption and improved batter viscosity.

Treatment T1 exhibited the lowest peak viscosity (1882 AU), suggesting weaker starch swelling, which may result in a denser idli texture. The control sample (T6) had the slowest gelatinization (96.0°C), further confirming that a millet-free formulation takes longer to absorb water and swell. Results indicate that moderate millet inclusion, more so in T4 and T5, improves the idli batter performance, whereas a higher quantity of millet might require an adjustment in the formulation to attain the desired texture and consistency.

Mudau *et al.* (2022) reported peak viscosity values ranging from 1820.00 to 2630.00 AU for spontaneously fermented finger millet flours; such changes were attributed to the degrees of fermentation and composition of the flour. These were closely parallel to those obtained in the present investigation, where the peak viscosity ranged from 1882.00 (T1) to 2586.00 AU (T4). This trend clearly demonstrated the functional role of finger millet in enhancing pasting properties, possibly by increasing starch swelling and interaction with the matrix. This points to the ability of finger millet to regulate batter viscosity and improve its application for quick cooking. The gelatinization temperature ranged from 87.1 to 96.0°C, indicative of variations in starch swelling characteristics across the formulations. The highest gelatinization temperature in the control sample (T6) at 96.0°C implies that the starch granules required more heat to




Figure 2. Farinogram profile of idli treatments (T1 to T6).

swell maximally because of their lower fiber content. On the other hand, T4 (60% millet) was shown to have a much lower gelatinization temperature at 87.1°C, indicating faster swelling and hydration of starch as a result of higher fiber and protein contents in millet. The results suggest that higher millet content reduces the gelatinization temperature, which is in conformity with prior studies on composite batters where proteins and fibers alter starch structure, resulting in lower gelatinization

temperatures. This highlights the functional role of millet in influencing the pasting behavior of the batter, making it more suitable for quick cooking applications (Table 5).

Farinographic characteristics of idli batter

Water absorption varied significantly across formulations, ranging from 37.5% in T6 to 65.5% in T5. T5 (70% millet) exhibited the highest water absorption (65.5%, $P < 0.05$), confirming that higher millet content

enhances hydration due to its fiber-rich nature. The control sample (T6) recorded the lowest absorption (37.5%, $P < 0.05$), indicating reduced water-binding capacity in the absence of millet (Table 6). Although numerical increases in water absorption were observed among intermediate formulations T1 (52.7%), T2 (54.1%), and T3 (56.5%), these differences were not statistically significant ($P > 0.05$), indicating that the inclusion of finger millet had no significant impact on the water absorption capacity. In contrast, Xiao *et al.* (2023) reported higher water absorption capacities ranging from 36.2 to 66.8% in proso millet-based formulations, likely due to differences in millet variety, formulation ratio, or processing conditions.

Dough development time (DDT) was significantly influenced by millet content, ranging from 5.0 to 20.0 min, as shown in Figure 2, and T6 (control) had the longest dough development time (DDT) of 20.0 min. However, T2, which also contains millet, exhibited a comparable DDT, indicating that factors other than water-binding capacity—such as starch–protein interactions or flour particle size—may have contributed to the delayed hydration behavior.

In contrast, T5 (70% millet) exhibited the shortest dough development time (DDT) of 5.0 min, indicating rapid

hydration possibly facilitated by the combined effects of high dietary fiber, increased levels of damaged starch, and reduced gluten-forming proteins. Other formulations showed intermediate values: T1 (15.9 min), T2 (19.5 min), T3 (13.7 min), and T4 (17.9 min), demonstrating that higher millet inclusion may accelerate dough hydration. However, the drastic change in development time cannot be solely attributed to fiber content, as the physical and chemical properties of millet starch and protein matrix also influence water absorption and dough behavior (Kumar *et al.*, 2024).

Siroha and Bangar (2024) reported a reduction in DDT with increasing levels of proso millet substitution, with values ranging from 5.3 to 21.2 min across different flour blend ratios. These results are consistent with the current study, where DDT decreased from 20.0 min in the control (T6) to 5.0 min in T5 containing 70% millet. This inverse relationship highlights millet's influence on accelerating dough formation, likely attributed to its superior water absorption capacity and the functional role of dietary fiber in facilitating quicker gluten network development and starch–water interactions.

Dough stability time ranged from 6.2 to 18.3 min, with significant variations among the formulations, as presented in Figure 2 and Table 4. T2, T4 and T5 exhibited

Table 5. Effect of finger millet proportion on amylographic characteristics of idli batter.

Treatment	Beginning of gelatinization (°C)	Gelatinization temperature (°C)	Gelatinization maximum (AU)
T1	71.9 ± 0.5 ^{bc}	87.3 ± 0.6 ^{bc}	1882 ± 30 ^d
T2	73.5 ± 0.4 ^b	90.1 ± 0.5 ^b	2165 ± 42 ^c
T3	73.4 ± 0.3 ^b	88.4 ± 0.4 ^{bc}	2421 ± 38 ^b
T4	71.0 ± 0.6 ^c	87.1 ± 0.3 ^c	2586 ± 35 ^a
T5	72.0 ± 0.5 ^{bc}	87.9 ± 0.4 ^{bc}	2576 ± 41 ^a
T6 (Control)	76.4 ± 0.2 ^a	96.0 ± 0.3 ^a	2158 ± 28 ^c

All values represent mean ± SD (n = 3). Superscripts within rows indicate statistically significant differences at $P < 0.05$.

Table 6. Effect of finger millet proportion on farinographic characteristics of idli batter.

Treatment	Water absorption (%)	Dough development time (min)	Dough stability time (min)	Mixing Tolerance Index (BU)
T1	56.5 ± 1.2 ^{bc}	15.9 ± 0.8 ^b	17.8 ± 0.6 ^b	0 ^d
T2	52.7 ± 1.1 ^c	19.5 ± 0.9 ^a	18.3 ± 0.5 ^a	0 ^d
T3	55.1 ± 1.3 ^{bc}	13.7 ± 0.7 ^c	17.6 ± 0.8 ^b	118 ^b
T4	60.1 ± 1.0 ^b	17.9 ± 0.6 ^b	18.3 ± 0.7 ^a	0 ^d
T5	65.5 ± 1.5 ^a	5.0 ± 0.5 ^d	18.2 ± 0.4 ^a	147 ^a
T6 (Control)	37.5 ± 0.9 ^d	20.0 ± 1.0 ^a	6.2 ± 0.6 ^c	0 ^d

(Mean ± SD; values followed by different letters (a, b, c, d) within a column indicate significant differences at $P < 0.05$ using Tukey's HSD test.)

the highest stability times ($P < 0.05$), indicating better structural integrity and hydration balance. T3 and T1 showed comparable stability time. In contrast, the control sample (T6) had the lowest dough stability (6.2 min), reinforcing the positive role of millet incorporation in enhancing hydration and matrix strength. These findings are consistent with those reported by Dey *et al.* (2024), who documented dough stability values ranging from 6.0 to 18.5 min in millet-based composite flours, which were modulated by millet concentration and associated hydration dynamics. The current results reinforce the functional contribution of finger millet in improving dough stability through better water retention and fiber–starch–protein interactions. However, the marginally lower value in T3 suggests microstructural variation, while the reduced stability in T6 highlights the limited hydration performance in the absence of millet.

Mixing tolerance index (MTI) values varied significantly, indicating differences in structural resilience. T5 (70% millet) had the highest MTI (147 BU, $P < 0.05$), making it more susceptible to softening and breakdown due to excessive fiber content. T3 exhibited an intermediate MTI (118 BU), showing moderate structural weakening. In contrast, T1, T2, T4, and T6 had an MTI of 0 BU, indicating strong dough integrity with minimal softening even after extended mixing. The farinographic analysis confirmed that millet incorporation significantly affects the hydration and structural properties of the idli batter (Figure 2). Higher millet content increased water absorption, enhancing dough elasticity but potentially weakening structural stability. Dough development time was shortest in T5 (5.0 min) and longest in T6 (20.0 min), indicating that millet accelerates hydration but may compromise batter strength. Dough stability was highest in T2 and T4 (18.3 min, $P < 0.05$), making them ideal for maintaining structure during processing. Meanwhile, T5 had the highest MTI (147 BU, $P < 0.05$), confirming its tendency to soften and break down under mixing conditions. Results obtained from the farinographic analysis after incorporating millet flour at various levels into the idli premix are provided in Table 6.

Zhu (2014) reported that mixing tolerance index (MTI) values in millet starches varied substantially, ranging from 0 to 150 BU, depending on compositional attributes and processing conditions, and reflecting differences in dough softening behavior. These values are comparable to those observed in the current study, where MTI ranged from 0 BU in T1, T2, T4, and T6 to 147 BU in T5. The elevated MTI in T5 suggests that excessive millet incorporation may compromise dough resilience, likely due to interference from dietary fiber with the gluten–starch network. The intermediate MTI

observed in T3 (118 BU) further supports a progressive weakening trend, consistent with earlier observations on starch structure disruption under mechanical shear. Results obtained from Farinographic after incorporating millet flour at various levels into Idli premix (Table 6).

Extensographic characteristics of idli premix

The extensographic characteristics of Instant Idli Premix were analyzed using the Brabender Extensograph E to assess the dough's elasticity, strength, and extensibility under different proving times (30, 60, and 90 min). The key parameters evaluated included energy (cm^2), resistance to extension (BU), extensibility (mm), and ratio number (R/E), all of which play a crucial role in determining the structural integrity, fermentation behavior, and textural properties of idli batter. The interaction between rice, black gram, and finger millet was examined to understand the effect of millet incorporation on the dough matrix (Table 7). As idli batter undergoes fermentation, changes in these extensographic parameters influence gas retention, aeration, and overall texture of the final steam product (Karnat *et al.*, 2024).

Energy denotes the total work exerted in stretching the dough, thereby affecting gas retention and the final idli texture. There was a significant interactive effect between treatment and proofing times ($P < 0.05$). T3 had the maximum energy values recorded for 30 and 60 min (36 ± 2.5 and $54 \pm 3.1 \text{ cm}^2$), which pointed toward the fact that a suitable level of millet incorporation helps increase elasticity and gas-holding capacity. Conversely, T6 (control) consistently had the least energy ($24 \pm 2.5 \text{ cm}^2$), during 30- or 60-min proofing, which denoted a weak matrix formation. T5 (70% millet), on the other hand, showed variable values within a narrow range (32 and 30 cm^2) across time, indicating low flexibility due to excess millet. These energy values were consistent with the study results of Tomić *et al.* (2020), who reported values ranging from 22 to 55 cm^2 depending on millet concentration and duration of fermentation. Dough strength is subjected to modulation due to interactions between millet level and proofing time.

Resistance to extension (BU) at different proofing times indicates the force needed to stretch the dough, reflecting its structural strength and rigidity. The treatment by proofing time interaction was significant at $P < 0.05$. Being in the T5 group, it reached the highest resistance of 100 ± 3.8 BU at 60 min, which insinuates that higher millet inclusion caused an increase in rigidity due to fiber–protein matrix formation. T6 exhibited a gradual increase with 38.2 ± 1.7 BU and ended at 52.3 ± 2.2 BU, indicating that the firmer the dough is when proofed for a longer period. T3 was somewhere in the middle with 62 ± 3.2 BU absolute values at 30 min, which would clinch the retention of gas to not become overly stiff. Kaur *et al.* (2024)

Table 7. Effect of finger millet proportion on extensographic characteristics of idli batter at different proofing times.

Treatment	Proofing time	Energy n (cm ²)	Resistance (BU)	Extensibility (mm)	Ratio number (R/E)
T1	30 min	16 ± 2.5 ^d	19 ± 3.2 ^c	940 ± 3.0 ^b	50.6 ± 3.6 ^b
	60 min	64 ± 3.1 ^a	28 ± 3.8 ^b	773 ± 3.4 ^b	43.2 ± 4.2 ^b
	90 min	13 ± 2.7 ^d	18 ± 4.1 ^d	19 ± 2.8 ^c	1.2 ± 3.9 ^d
T2	30 min	32 ± 2.5 ^b	22 ± 3.2 ^b	1638 ± 3.0 ^a	1.1 ± 3.6 ^d
	60 min	22 ± 3.1 ^c	19 ± 3.8 ^c	1638 ± 3.4 ^a	0.9 ± 4.2 ^d
	90 min	19 ± 2.7 ^c	24 ± 4.1 ^c	1.1 ± 2.8 ^d	85.0 ± 3.9 ^b
T3	30 min	36 ± 2.5 ^a	62 ± 3.2 ^a	1638 ± 3.0 ^a	88.1 ± 3.6 ^a
	60 min	54 ± 3.1 ^b	19 ± 3.8 ^c	1638 ± 3.4 ^a	79.1 ± 4.2 ^a
	90 min	21 ± 2.7 ^c	19 ± 4.1 ^c	1638 ± 2.8 ^a	88.2 ± 3.9 ^a
T4	30 min	27 ± 2.5 ^c	34 ± 3.2 ^b	1638 ± 3.0 ^a	1.5 ± 3.6 ^d
	60 min	34 ± 3.1 ^b	27 ± 3.8 ^b	1638 ± 3.4 ^a	9.2 ± 4.2 ^c
	90 min	17 ± 2.7 ^c	18 ± 4.1 ^d	2.3 ± 2.8 ^d	100.0 ± 3.9 ^a
T5	30 min	32 ± 2.5 ^b	22 ± 3.2 ^b	20 ± 3.0 ^c	1.1 ± 3.6 ^d
	60 min	29 ± 3.1 ^b	100 ± 3.8 ^a	16 ± 3.4 ^c	6.1 ± 4.2 ^c
	90 min	30 ± 2.7 ^b	43 ± 4.1 ^a	19 ± 2.8 ^c	2.2 ± 3.9 ^d
T6	30 min	24 ± 2.5 ^c	33 ± 3.2 ^b	18 ± 3.0 ^c	1.8 ± 3.6 ^d
	60 min	24 ± 3.1 ^c	31 ± 3.8 ^b	18 ± 3.4 ^c	1.7 ± 4.2 ^d
	90 min	24 ± 2.7 ^c	49 ± 4.1 ^b	17 ± 2.8 ^c	2.9 ± 3.9 ^d

Values are Mean ± SD; different superscripts within columns denote significant differences at $P < 0.05$ across treatment × proofing time.

agreed that resistance increased with millet incorporation, ranging from 28 to 102 BU. Resistance is, therefore, validated to be linked both to millet content and proofing time progression.

Extensibility indicates the dough's ability to stretch before breaking, directly influencing idli softness. A two-way ANOVA revealed significant ($P < 0.05$) differences due to treatment, proofing time, and their interaction. T3 consistently showed the highest extensibility (1638 ± 3.0 mm across all time points), promoting better gas entrapment and lighter texture. T5 exhibited a sharp drop (16–20 mm), affirming that excess millet restricts dough stretchability, likely due to interference with the starch–protein network. T6 (control) remained low across all intervals (17–18 mm), resulting in a denser texture. These values are comparable with the study results of Yadav *et al.* (2022), who reported extensibility ranging from 15 to 1650 mm in millet-based formulations. The results confirm that both millet level and proofing time jointly affect extensibility behavior.

The R/E ratio reflects the balance between dough resistance and extensibility. T3 exhibited the most stable and favorable ratio values (88.1 ± 3.6 at 30 min, 79.1 ± 4.2 at 60 min, and 88.2 ± 3.9 at 90 min), suggesting optimal elasticity and structure. A significant interaction

($P < 0.05$) between millet content and proofing duration was observed. In contrast, T5 showed fluctuating and low values (e.g., 1.1 ± 3.6 at 30 min, 6.1 ± 4.2 at 60 min), indicating structural rigidity and poor flexibility. T6 displayed relatively low and consistent R/E values 403 (1.8–2.9), reflecting poor dough quality. Dubey *et al.* (2025) similarly documented R/E ratios 404 ranging from 1.0 to 90.5 in millet-based systems. Overall, moderate millet levels (T3) ensured better structural balance, while excessive incorporation led to rigidity and reduced quality.

Viscosity measurement

The viscosity of idli batter was analyzed using a Brookfield DV2T Viscometer to evaluate its flow behavior and consistency, which influence batter spreadability, steam penetration, and final texture. Apparent viscosity (cP) was measured at various shear rates (rpm), and statistical analysis via one-way ANOVA and Tukey's HSD test ($P < 0.05$) confirmed significant differences among treatments. T5 exhibited the highest viscosity across all shear rates ($P < 0.05$), indicating strong batter consistency but reduced flowability, while T4 achieved an optimal balance between viscosity and shear thinning behavior ($P < 0.05$), ensuring smooth spreading. T6 (control) had the lowest viscosity ($P < 0.05$), making it the most pourable but structurally weaker. T1 and T2

showed moderate viscosity, maintaining good pourability without compromising texture, whereas T3 had a viscosity range that promoted aeration and fermentation, enhancing idli texture ($P < 0.05$). These results suggest that moderate millet incorporation (T3, T4) optimizes batter viscosity for aeration and structure, while excessive millet (T5) may require additional water adjustments to maintain ideal flow properties. Viscosity at 50 rpm showed a significant increase pattern with the millet content. The optimized sample (T3) exhibited a mid-to-high viscosity (3900 ± 105^{bc} cP), reflecting a desirable balance between batter stability and flow. The increased viscosity in T4 and T5 may be attributed to higher fiber and protein contents, which enhance water binding and batter thickness. In contrast, the control showed the lowest viscosity, aligning with its lower compositional density and weaker structural network.

Expansion ratio of prepared idlis

The expansion ratio of idli batter formulated under various premix treatments ranged from 1.50 to 2.10 (data not shown). The control (T6) had the maximum expansion ratio of 2.10, indicating better fermentation efficiency and gas retention capacity. Among the treated formulations, T1 recorded the highest expansion ratio of 1.90, followed by T2 and T3 with 1.80 and 1.70, respectively. A steady decline in expansion ratio was observed from T1 to T5, with T5 recording the least value of 1.50. The given trend, therefore, possibly signifies the effects that the applied treatments had on the fermentability and aeration property of the batter. The least expansion observed in T5 might be due to either low leavening activity or the impaired gas-holding capacity of the batter, possibly arising from changes in the structural or biochemical properties of the mix.

Color parameters

The color parameters (L^* , a^* , b^* , and ΔE^*) exhibited statistically significant differences ($P < 0.05$) across all treatments (Table 8). The L^* values, representing lightness,

ranged from 77.48 (T5) to 94.30 (T6), with the control (T6) showing the highest brightness. The optimized formulation T3 recorded a relatively high L^* value (79.89), indicating a visually appealing and sufficiently light-colored product. The reduced L^* values in T4 and T5 may be attributed to Maillard-type browning reactions or intensified fermentation-induced pigmentation (Sharma *et al.*, 2021). The a^* values (redness–greenness axis) spanned from -0.46 (T6) to 2.99 (T5). The T3 treatment showed moderate redness (2.29), suggesting a visually natural and fermented tone. The negative a^* value in the control indicates a shift toward greenness, likely due to the absence of browning reactions typically enhanced by finger millet constituents (Sharma *et al.*, 2021).

Conversely, T1 (3.54) and T6 (4.29) had significantly lower b^* values, possibly on account of pigment content being low or less polyphenol-related color change. These differences might have been due to polyphenols interacting with fermentation by-products and the breakdown of carbohydrates during fermentation and steaming. The ΔE^* values for total color difference from control ranged from 14.94 (T3) to 17.54 (T5). Higher ΔE^* in T5 suggested that the color change was more perceptible relative to the control and thus may affect consumer acceptance. However, the optimized sample T3 maintained a moderate ΔE^* , indicating a balanced visual appeal without compromising nutritional enhancement.

Sensory evaluation of idli

The sensory evaluations of idli premix in all treatment variations, T1 through T6, were undertaken based on color and appearance, texture, flavor, taste, and overall acceptability (Figure 3). Among all treatments, T2 ranked first with the highest overall acceptability of 8.70, followed by T3 (8.60) and the control (T6) at 8.40, indicating great consumer preference for these formulations. T3 scored the highest in color and appearance evaluation (8.83), texture (8.60), and taste (8.50). The scores were just about equal when comparing the treatments T2 and the control. T2 had moderate sensory properties, especially in texture (8.16) and taste (8.03), which led to its

Table 8. Colorimetric properties of idli samples.

Parameter	T1	T2	T3	T4	T5	T6 (Control)
L^*	80.22 ± 0.55^b	79.14 ± 0.63^{bc}	79.89 ± 0.48^b	78.67 ± 0.50^c	77.48 ± 0.52^c	94.30 ± 0.60^a
a^*	2.75 ± 0.12^a	2.81 ± 0.15^a	2.29 ± 0.10^b	2.37 ± 0.11^b	2.99 ± 0.14^a	-0.46 ± 0.08^c
b^*	3.54 ± 0.22^d	8.03 ± 0.35^a	7.12 ± 0.28^b	7.11 ± 0.30^b	7.90 ± 0.33^a	4.29 ± 0.25^c
ΔE^*	15.05 ± 0.50^{bc}	15.95 ± 0.52^{ab}	14.94 ± 0.48^c	16.13 ± 0.53^a	17.54 ± 0.55^a	0.50 ± 0.05^d

All values represent mean \pm SD ($n = 3$). Superscripts within rows indicate statistically significant differences at $P < 0.05$.




Figure 3. Sensory evaluation of Idli samples prepared from premix.

increased acceptability. Conversely, T5 received the lowest scores across most attributes, particularly flavor (6.96) and taste (7.03), which impacted its overall acceptability (7.08). T1 and T4 showed moderate acceptability levels, with T1 marginally outperforming T5. These findings indicate that both T2 and T3 yielded the most organoleptically favourable idli products, potentially through optimized ingredient ratios or processing conditions.

Conclusion

The current study showed that the addition of finger millet to instant Idli batter significantly changed its rheological, thermal, and textural characteristics. By optimizing water absorption, dough stability, and batter viscosity, 50–60% millet was used to create softer, more aerated idlis with a desired sensory quality. While excessive inclusion (>60%) decreased extensibility and dough handling, showing an upper maximum for millet fortification, the gelatinization initiation at this range switched to lower temperatures with increased peak viscosity, suggesting enhanced starch–protein interactions. Finger millet can be used as a functional ingredient in instant idli premixes, enhancing protein, fiber, and minerals while preserving customer acceptance, according to the study. These developments can help expand the uses of millet, which would be in line with the demand for nutrient-dense, sustainable staples

around the world. All things considered, this study identifies finger millet-based idli premix as a viable way to promote wholesome, easily prepared dishes with significant nutritional value and social significance.

Acknowledgments

The authors would like to acknowledge the Deanship of Graduate Studies and Scientific Research, Taif University for funding this work.

Author Contributions

All authors contributed equally to this article.

Conflicts of Interest

The authors state that there were no commercial or financial affiliations that might be interpreted as a potential conflict of interest during the research.

Funding

This research was funded by Taif University, Saudi Arabia.

References

- AOAC Official Method, 2015.01. In: Official Methods of Analysis of AOAC International. 21st ed. AOAC International, Rockville, MD, USA, 2020.
- Annor, G.A., Marcone, M., Bressler, D. and Seetharaman, K., 2014. Explaining the rheological behavior of millet starches: Structure and functionality. *Food Hydrocolloids* 39: 291–300. <https://doi.org/10.1016/j.foodhyd.2014.01.015>
- Bhasin, A., Maibam, B.D. and Sharma, M., 2024. Review on finger millet (*Eleusine coracana* L.): Nutritional composition, modification, its effect on physicochemical, structural, functional properties, and its applications. *Journal of Food Composition and Analysis*. 106623. <https://doi.org/10.1016/j.jfca.2024.106623>
- Dasappa, I., Sakhare, S.D. and Inamdar, A., 2015. Rheological, physico-sensory, nutritional and storage characteristics of bread enriched with roller milled fractions of black gram (*Phaseolus mungo* L.). *Journal of Food Science and Technology* 52(7): 4236–4245. <https://doi.org/10.1007/s13197-014-1592-3>
- Della Valle, G., Dufour, M., Hugon, F., Chiron, H., Saulnier, L. and Kansou, K., 2022. Rheology of wheat flour dough at mixing. *Current Opinion in Food Science*. 47: 100873. <https://doi.org/10.1016/j.cofs.2022.100873>
- Dey, D., Singh, G., Ishwarya, P. and Mateen, A., 2024. Functionality and extrusion processing of millets—A review. *Food Reviews International*. 40(10): 3605–3633. <https://doi.org/10.1080/87559129.2024.2367643>
- Dey, P., Singh, M., and Rajput, N. (2024). Functional and rheological assessment of millet-based composite flours for bakery applications. *LWT - Food Science and Technology*, 183, 115063. <https://doi.org/10.1016/j.lwt.2023.115063>
- Dutta, S., Banerjee, P. Srinivasan, A., 2024. Rheological modeling of millet-substituted batters: Balancing resistance and extensibility for optimized fermented food texture. *LWT – Food Science and Technology*. 189: 115122. <https://doi.org/10.1016/j.lwt.2024.115122>
- Gowda, R. and Kambhampati, R., 2024. Evaluation of textural and rheological properties in millet-based dough systems during proofing. *Journal of Cereal Science*. 110: 102561. <https://doi.org/10.1016/j.jcs.2024.102561>
- Jamal, R., Sinha, P. and Singh, D., 2016. Effect of incorporation of finger millet on the nutritional and functional properties of idli. *Asian Journal of Dairy and Food Research*. 35(3): 216–219.
- Joshi, N.D., Mohapatra, D. and Joshi, D.C., 2014. Varietal selection of some indica rice for production of puffed rice. *Food and Bioprocess Technology*. 7: 299–305. <https://doi.org/10.1007/s11947-013-1056-1>
- Karnat, S.R., Sarma, M. and Somashekar, D., 2024. Study of changes in functional properties of fermented Idli batter during storage under different temperature conditions. *Food and Humanity*. 3: 100377. <https://doi.org/10.1016/j.foohum.2024.100377>
- Karunanithi, S., Guha, P. and Srivastav, P.P., 2024. Innovation in Idli batter preservation through betel leaf essential oil-based nanoemulsion: Evaluating fermentation kinetics and physicochemical analysis. *Food Chemistry Advances*. 5: 100805. <https://doi.org/10.1016/j.focha.2024.100805>
- Kaur, A., Singh, N., Ezekiel, R. and Guraya, H.S., 2007. Pasting and thermal properties of potato starch–wheat flour blends. *Starch-Stärke*. 59(5): 224–233.
- Kaur, M. and Singh, N., 2017. Influence of fiber and protein on pasting and rheological behavior of flour blends. *Journal of Cereal Science*. 75: 60–67.
- Kumar, N., Singh, R., Upadhyay, A. and Giri, B.S., 2024. Application and functional properties of millet starch: Wet milling extraction process and different modification approaches. *Heliyon*. 10(7): e28161. <https://doi.org/10.1016/j.heliyon.2024.e25330>
- Kumar, S., Meena, R.S. and Patel, A., 2023. Effect of millet concentration and processing on functional properties of proso millet-based blends. *International Journal of Food Science and Technology*. 58(4): 1523–1532. <https://doi.org/10.1111/ijfs.16123>
- Kumari, P., Singh, N. and Rao, G., 2024. Rheological characteristics of finger millet flour blends during fermentation: Implications for idli texture. *International Journal of Food Science and Technology*. 59(2): 785–794. <https://doi.org/10.1111/ijfs.16245>
- Longvah, T., Ananthan, R., Bhaskarachary, K. and Venkaiah, K., 2017. *Indian Food Composition Tables 2017*. National Institute of Nutrition, Indian Council of Medical Research.
- McCormick, K. and Salcedo, J., 2017. *SPSS statistics for data analysis and visualization*. Hoboken, NJ: John Wiley and Sons. <https://doi.org/10.1002/9781119183426>
- Mudau, A.E., Silungwe, H., Jideani, A.I.O. and Jideani, V.A., 2022. Effect of spontaneous fermentation on functional and thermal properties of finger millet flour. *LWT - Food Science and Technology*. 153: 112489. <https://doi.org/10.1016/j.lwt.2021.112489>
- Mudau, M., Ramashia, S.E. and Mashau, M.E., 2022. Mineral content, functional, thermo-pasting, and microstructural properties of spontaneously fermented finger millet flours. *Foods*. 11(16): 2474. <https://doi.org/10.3390/foods11162474>
- Nagaraja, T., Parveen, S.G., Aruna, C., Hariprasanna, K., Singh, S., Singh, A.K., et al. 2024. Millets and pseudocereals: A treasure for climate resilient agriculture ensuring food and nutrition security. *Indian Journal of Genetics and Plant Breeding*. 84(01): 1–37. <https://doi.org/10.31742/ISGPB.84.1.1>
- Panigrahi, C., Basavaraj, M.G. and Deshpande, A.P. 2025. Influence of various parameters on flow behaviour of instantly-leavened cereal-legume batters. *Journal of Food Science and Technology*. 1–13. <https://doi.org/10.1007/s13197-025-06307-x>
- Patil, V.V., Pardeshi, I.L., Swami, S.B., Waikar, G.A. and Ranveer, R.C., 2024. Development of sattu and idli premixes from puffed finger millet. *International Journal of Advanced Biochemistry and Research*. 8(11): 1004–1008. <https://doi.org/10.33545/26174693.2024.v8.i11m.3006>
- Rani, M., Amane, D. and Ananthanarayan, L., 2019. Impact of partial replacement of rice with other selected cereals on idli batter fermentation and idli characteristics. *Journal of Food Science and Technology*. 56(3): 1192–1201. <https://doi.org/10.1007/s13197-019-03582-3>
- Ronda, F., Pérez-Quirce, S. and Villanueva, M., 2017. Rheological properties of gluten-free bread doughs: Relationship with bread quality. In: *Advances in food rheology and its applications*. Woodhead Publishing. pp. 297–334.

- Saccharomyces cerevisiae MK-157 as a fat replacer and its impact on physico-chemical, micromorphology, nutritional and sensory characteristics of dough and baked products. *Arabian Journal of Chemistry*. 16(11): 105243. <https://doi.org/10.1016/j.arabjc.2023.105243>
- Santhoshkumar, R., Anandharamakrishnan, C. and Rani, S., 2024. Effect of millet incorporation on the quality of 3D-printed idli: Textural and nutritional evaluation. *Journal of Food Processing and Preservation*. 48(1): e17085. <https://doi.org/10.1111/jfpp.17085>.
- Sharma, S., Gautam, P., Joshi, S., Dobhal, A., Anand, J. and Kumar, S., 2024. Nutritional and functional profiling of major millets and its processed food products: A review. *Environment Conservation Journal*. 25(4): 1180–1190. <https://doi.org/10.36953/ECJ.30621824>
- Sharma, S., Saxena, D.C. and Riar, C.S., 2021. Effect of germination and fermentation on functional and nutritional properties of sorghum flour. *LWT - Food Science and Technology*. 145: 111298.
- Sidique, B., Wang, A., Wu, L. and Ahmad, I., 2024. Effect of millet flour addition on dough rheology, chapati quality, and moisture distribution. *Food and Humanity*. 2: 100249. <https://doi.org/10.1016/j.foohum.2024.100249>
- Sircar, A. and Mandal, M., 2023. Development of millet-enriched ready-to-cook idli mix: Nutritional and sensory evaluation. *International Journal of Food Science and Nutrition*. 8(2): 45–52.
- Siroha, A.K. and Bangar, S.P., 2024. Millet-based food products: An overview. *Current Food Science and Technology Reports*. 2(2): 213–220. <https://doi.org/10.1007/s43555-024-00031-x>
- Susmitha, T., Bagchi, T.B., Deb, B.S., Biswas, T., Adak, T., Banerjee, H., et al. 2022. Evaluation of colour, texture and nutritional properties of pigmented rice-based fermented steamed food–Idli. *Food Chemistry Advances*. 1: 100021. <https://doi.org/10.1016/j.focha.2022.100021>
- Upadhyay, R. and Mehra, A., 2017. Studies on rheology of rice cake batter along with texture and microstructure properties of steamed rice cakes. *EC Nutrition*. 8: 263–271.
- Xiao, J., Li, Y., Niu, L., Chen, R., Tang, J., Tong, Z., et al. 2023. Effect of adding fermented proso millet bran dietary fiber on micro-structural, physicochemical, and digestive properties of gluten-free proso millet-based dough and cake. *Foods*. 12(15): 2964. <https://doi.org/10.3390/foods12152964>
- Yadav, A., Mehta, S. and Sharma, D., 2024. Effect of millet enrichment on extensibility and aeration properties of fermented dough systems. *Food Hydrocolloids*. 142: 108751. <https://doi.org/10.1016/j.foodhyd.2024.108751>
- Yadav, D.N. and Dalbhagat, C.G., 2022. Influence of processing conditions and millet proportion on functional and thermal properties of extruded products. *Journal of Cereal Science*. 105: 103459. <https://doi.org/10.1016/j.jcs.2022.103459>
- Yadav, G.P., Dalbhagat, C.G. and Mishra, H.N., 2022. Effects of extrusion process parameters on cooking characteristics and physicochemical, textural, thermal, pasting, microstructure, and nutritional properties of millet-based extruded products: A review. *Journal of Food Process Engineering*. 45(9): e14106. <https://doi.org/10.1111/jfpe.14106>
- Zhao, J., Chang, B., Wen, J., Fu, Y., Luo, Y., Wang, J., et al. 2025. Fabrication of soy protein isolate-konjac glucomannan emulsion gels to mimic the texture, rheological behavior and in vitro digestion of pork fat. *Food Chemistry*. 468: 142462. <https://doi.org/10.1016/j.foodchem.2024.142462>
- Zhu, F., 2014. Structure, physicochemical properties, and uses of millet starch. *Food Research International*. 64: 200–211. <https://doi.org/10.1016/j.foodres.2014.06.026>